

GEODÆTISK INSTITUT
Proviantgården · Copenhagen · Denmark

Bulletin of the seismological station

KØBENHAVN

$\varphi = 55^{\circ}41' \text{ N.}$ $\lambda = 12^{\circ}26' \text{ E.}$ $h = 13 \text{ m.}$

Lithologic foundation: chalk

ADDITIONAL MICROSEISMIC READINGS
for

IGY Days and Periods

For every group of figures the first one indicates the character of the microseisms. 1 is group microseisms, 2 is continuous microseisms, 3 is irregular or mixed microseisms. Thereafter the single ground amplitude in microns is given, and at last the period of a full oscillation is stated. All readings are due to the Galitzin instruments, the constants of which are given in the bulletins no. 68 and 69. The given hours are GMT.

København – March 1958

Microseisms

1957													
July 4	0h	1h	2h	3h	4h	5h	6h	7h	8h	9h	10h	11h	
N	2 0.2 3.9	2 0.1 3.8	2 0.1 3.7	2 0.2 3.8	2 0.1 4.0	2 0.2 3.7	2 0.2 3.4	2 0.2 4.0	2 0.1 3.8	2 0.1 3.7	2 0.2 3.5	2 0.1 3.7	
E	2 0.1 3.7	2 0.1 3.8	2 0.2 3.9	2 0.1 4.0	2 0.1 3.8	2 0.1 3.9	2 0.2 3.2	2 0.2 3.6	2 0.1 3.8	2 0.1 3.9	2 0.2 3.7	2 0.1 3.8	
Z	2 0.1 3.8	2 0.1 3.6	2 0.1 3.9	2 0.1 3.8	2 0.1 3.8	2 0.1 4.0	2 0.1 4.0	2 0.1 3.9	2 0.1 3.8	2 0.1 4.0	2 0.1 3.7	2 0.1 3.8	
July 26													
N	2 0.2 2.7	2 0.2 3.1	2 0.2 3.0	2 0.2 3.2	2 0.2 3.2	2 0.2 3.0	2 0.2 3.0	2 0.2 3.4	2 0.2 3.5	2 0.2 3.6	2 0.2 3.5	2 0.2 3.6	
E	2 0.2 2.4	2 0.2 3.0	2 0.2 2.8	2 0.2 3.0	2 0.2 2.9	2 0.2 2.8	2 0.2 2.5	2 0.2 2.9	2 0.2 3.0	2 0.2 3.3	2 0.2 3.2	2 0.2 3.4	
Z	2 0.2 2.6	2 0.1 3.1	2 0.1 3.0	2 0.1 3.1	2 0.2 2.9	2 0.2 3.2	2 0.2 2.8	2 0.1 3.0	2 0.1 3.3				
July 27													
N	2 0.2 3.5	2 0.2 3.6	2 0.2 3.5	2 0.2 3.6	2 0.2 3.7	2 0.2 4.0	2 0.4 3.7	2 0.3 3.9	2 0.3 4.0	2 0.2 3.8	2 0.2 3.9	2 0.3 3.9	
E	2 0.4 3.1	2 0.3 3.6	2 0.3 3.6	2 0.3 3.4	2 0.3 3.6	2 0.3 3.4	2 0.5 3.5	2 0.3 3.8	2 0.3 3.7		2 0.3 3.7	2 0.3 3.8	
Z	2 0.2 3.6	2 0.2 3.4	2 0.2 3.7	2 0.2 3.8	2 0.2 4.0	2 0.2 3.7	2 0.2 3.7	2 0.2 4.0	2 0.2 3.8	2 0.2 3.9			
Aug. 12													
N	1 0.8 3.8	1 0.8 4.5	1 0.7 4.5	1 1.1 4.3	1 0.9 4.6	1 0.9 4.3	1 0.9 3.7	1 0.9 4.6	1 1.1 4.4	1 1.2 4.6	1 1.2 4.7	1 1.0 4.4	
E	1 1.1 3.9	1 1.0 4.3	1 1.0 4.5	1 1.1 4.5	1 1.0 4.3	1 0.9 4.2	1 1.1 4.3	1 1.2 4.4	1 1.4 4.5	1 1.1 4.4	1 1.2 4.6	1 1.0 4.4	
Z	1 0.6 4.0	1 0.9 4.0	1 0.9 4.2	1 0.7 4.4	1 0.8 4.2	1 0.9 4.7	1 0.8 4.4	1 1.2 4.2	1 0.9 4.8	1 1.3 4.5	1 1.4 4.4	1 1.2 4.5	
Aug. 26													
N	1 0.9 3.6	2 0.8 3.9	3 0.8 4.4	3 0.7 3.9	3 0.7 4.2	2 0.7 4.0	2 0.7 3.1	2 0.5 4.1	2 0.5 3.8	2 0.4 3.4	2 0.4 3.3	2 0.3 3.6	
E	1 0.7 3.9	3 0.9 3.6	3 1.0 3.8	3 0.9 3.2	3 0.9 3.4	2 0.7 3.3	2 0.6 3.0	2 0.6 3.4	2 0.5 3.9	2 0.5 3.6	2 0.4 3.2	2 0.4 3.5	
Z	2 0.7 3.5	2 0.6 4.1	2 0.6 4.3	2 0.6 4.0	2 0.7 4.3	2 0.6 3.8	2 0.4 3.2	2 0.4 3.6	2 0.3 3.6	2 0.4 3.7	2 0.3 3.5	2 0.3 3.5	
Aug. 27													
N	2 0.3 3.0	2 0.2 3.1	2 0.2 3.1	2 0.2 3.0	2 0.2 3.2	2 0.2 3.2	2 0.3 2.6	2 0.2 3.3	2 0.2 3.5	2 0.2 3.3	2 0.2 3.3	2 0.2 3.1	
E	2 0.3 3.2	2 0.2 3.3	2 0.2 3.4	2 0.2 3.0	2 0.2 3.2	2 0.2 3.1	2 0.4 2.8	2 0.2 3.0	2 0.2 3.3	2 0.3 3.2	2 0.2 3.3	2 0.3 3.4	
Z	2 0.3 2.9	2 0.2 3.0	2 0.3 3.2	2 0.2 3.1	2 0.2 3.5	2 0.2 3.4	2 0.3 3.4	2 0.2 3.6	2 0.2 3.3	2 0.2 3.2	2 0.2 3.0	2 0.2 3.1	
Sept. 1													
N												2 0.1 3.-	
E	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-		
Z												No time marks on Z.	
Sept. 18													
N	2 0.4 3.5	2 0.3 4.0		2 0.2 4.2	2 0.2 4.4	2 0.2 4.0	2 0.4 3.0	2 0.2 3.8	2 0.2 3.9	2 0.2 3.8	2 0.2 3.5	2 0.3 3.6	
E	2 0.4 3.6	2 0.4 4.3		2 0.3 3.9	2 0.3 4.2	2 0.3 3.9	2 0.4 3.6	2 0.3 4.0	2 0.3 4.0	2 0.3 3.6	2 0.3 3.6	2 0.3 3.6	
Z										2 0.2 3.4	2 0.2 3.4	2 0.2 3.4	
Sept. 19													
N	2 0.4 3.4	2 0.4 3.8	2 0.4 3.6	2 0.4 3.7	2 0.4 3.8	2 0.4 4.0	2 0.4 4.0	2 0.4 3.6	2 0.4 3.5	2 0.5 3.6	1 0.5 3.5	1 0.6 3.7	
E	2 0.5 3.3	2 0.5 3.5	2 0.5 3.6	2 0.5 3.7	2 0.6 3.3	2 0.6 3.6	2 0.6 3.6	2 0.6 3.6	2 0.6 3.7	2 0.6 3.6	1 0.7 3.6	1 0.7 3.7	
Z	2 0.4 3.6	2 0.4 3.7	2 0.4 3.7	2 0.4 3.8	2 0.4 3.4	2 0.4 3.5	2 0.4 3.6	2 0.4 3.7	2 0.4 3.8	1 0.6 3.8	1 0.6 3.6	1 0.6 3.8	
Sept. 20													
N	2 0.4 3.4	2 0.3 3.3	2 0.3 3.5	2 0.3 3.6	2 0.3 3.4	2 0.3 3.5	2 0.3 3.5	2 0.2 3.6	2 0.2 3.8	2 0.2 3.8	2 0.2 3.6	2 0.2 3.7	
E	2 0.4 3.4	2 0.4 3.6	2 0.4 3.5	2 0.4 3.7	2 0.4 3.5	2 0.4 3.4	2 0.5 3.1	2 0.4 3.6	2 0.4 3.6	2 0.3 3.7	2 0.3 3.8	2 0.3 3.8	
Z	2 0.4 3.2	2 0.4 3.4	2 0.4 3.3	2 0.3 3.5	2 0.3 3.4	2 0.3 3.4	2 0.2 3.2	2 0.2 3.4	2 0.2 3.6	2 0.2 3.8	2 0.2 3.8	2 0.2 3.5	
Sept. 21													
N										2 0.2 4.3	2 0.3 4.2	2 0.3 4.4	
E										2 0.3 4.3	2 0.3 4.3	2 0.4 4.2	
Z	2 0.3 4.0	2 0.3 4.2	2 0.3 4.2	2 0.3 4.1	2 0.3 4.1	2 0.3 4.3	2 0.2 4.2	2 0.2 4.1	2 0.3 4.0	2 0.2 4.3	2 0.2 4.4	2 0.2 3.9	
Sept. 22													
N	2 0.5 4.2	2 0.4 4.0	2 0.4 4.3	2 0.4 4.1	2 0.4 4.3	2 0.4 4.0	2 0.4 4.2	2 0.3 4.2	2 0.3 4.1	2 0.3 4.3	2 0.3 4.3	2 0.3 4.5	
E	2 0.4 4.4	2 0.4 4.2	2 0.4 4.3	2 0.4 4.3	2 0.4 4.3	2 0.4 4.3	2 0.4 4.4	2 0.4 4.2	2 0.4 4.2	2 0.4 4.4	2 0.4 4.4	2 0.4 4.5	
Z	2 0.2 4.5	2 0.2 4.4	2 0.2 4.3	2 0.3 4.4	2 0.2 4.1	2 0.2 4.2	2 0.2 4.0	2 0.2 4.0	2 0.2 4.2	2 0.2 4.3	2 0.3 4.2	2 0.3 4.4	

København

12h	13h	14h	15h	16h	17h	18h	19h	20h	21h	22h	23h	1957
2 0.2 3.4	2 0.1 3.9	2 0.1 3.8	2 0.1 4.0	2 0.1 3.8	2 0.1 3.7	2 0.2 3.6	2 0.2 3.5	2 0.1 3.8	2 0.1 4.0	2 0.1 3.9	2 0.1 3.9	July 4
2 0.2 3.8	2 0.1 3.8	2 0.1 3.8	2 0.1 4.0	2 0.2 3.7	2 0.2 3.7	2 0.2 3.8	2 0.1 3.7	2 0.1 3.9	2 0.2 3.7	2 0.1 4.0	2 0.1 4.0	N
2 0.1 3.6	2 0.1 3.8	2 0.1 3.8	2 0.1 4.0	2 0.1 4.0	2 0.1 3.8	2 0.1 3.7	2 0.1 3.9	2 0.1 3.8	2 0.1 4.0	2 0.1 4.0	2 0.1 3.9	E
												Z
												July 26
2 0.2 3.7	2 0.2 4.0	2 0.2 3.8	2 0.2 3.7	2 0.2 3.7	2 0.2 3.4	2 0.2 3.5	2 0.2 3.7	2 0.2 3.8	2 0.2 3.8	2 0.2 3.9	2 0.2 3.5	N
2 0.3 3.4	2 0.2 3.7	2 0.3 3.6	2 0.3 3.6	2 0.3 3.3	2 0.3 3.3	2 0.3 3.0	2 0.3 3.2	2 0.3 3.4	2 0.3 3.5	2 0.3 3.7	2 0.3 3.6	E
.. ..			2 0.2 3.6	2 0.2 3.7	2 0.2 3.5	2 0.2 3.4	2 0.2 3.4	2 0.2 3.6	2 0.2 3.8	2 0.2 3.7	2 0.2 3.9	Z
												July 27
2 0.3 3.7	2 0.2 4.0	2 0.2 3.9	2 0.3 4.0	2 0.2 3.8	2 0.2 4.0	2 0.2 3.9	2 0.2 3.8	2 0.2 3.8	2 0.2 3.7		2 0.2 4.0	N
2 0.4 3.6	2 0.3 3.7	2 0.3 3.8	2 0.3 3.7	2 0.3 3.8	2 0.3 3.8	2 0.4 3.7	2 0.3 3.7	2 0.3 3.8	2 0.3 4.0	2 0.3 3.8	2 0.3 3.7	E
.. ..			2 0.2 3.6	2 0.2 3.8	2 0.2 3.8	2 0.2 3.7	2 0.2 3.8	2 0.2 3.9	2 0.2 4.0	2 0.2 3.8	2 0.2 3.7	Z
												Aug. 12
1 1.1 4.0	1 0.8 4.2	1 0.9 4.5	1 0.7 4.7	1 0.9 4.4	1 0.8 4.5	1 0.8 4.2	2 0.6 4.2	2 0.6 4.3	2 0.6 4.1	2 0.6 4.1	2 0.5 3.8	N
1 1.2 4.4	1 0.9 4.3	1 1.1 4.4	1 1.4 4.6	1 0.9 4.5	1 1.1 4.1	1 1.0 3.7	1 1.0 4.3	2 0.7 4.2	2 0.6 4.3	2 0.7 4.0	2 0.6 3.9	E
1 1.0 4.2	1 0.9 4.5	1 0.9 4.5	1 0.9 4.3	1 0.8 4.5	1 0.7 4.1	1 0.7 4.1	1 0.7 4.4	1 0.6 4.3	2 0.5 4.4	2 0.5 4.3	2 0.4 4.0	Z
												Aug. 26
2 0.3 3.5					2 0.3 3.6	2 0.4 3.0	2 0.3 3.2	2 0.3 3.4	2 0.3 3.2	2 0.3 3.5	2 0.2 3.3	N
2 0.2 2.7					2 0.4 3.4	2 0.4 2.9	2 0.3 3.3	2 0.3 3.0	2 0.3 3.2	2 0.3 3.4	2 0.3 3.5	E
2 0.3 2.8					2 0.3 3.4	2 0.4 3.0	2 0.3 3.4	2 0.3 3.2	2 0.3 3.1	2 0.2 3.3	2 0.2 3.3	Z
												Aug. 27
2 0.3 3.0	2 0.2 3.2	2 0.2 3.1	2 0.2 3.-	2 0.2 3.-	2 0.2 3.-	2 0.3 2.7	2 0.2 3.-	2 0.2 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	N
2 0.3 2.6	2 0.2 3.3	2 0.3 3.3	2 0.2 3.-	2 0.2 3.-	2 0.2 3.-	2 0.3 2.7	2 0.2 3.-	2 0.2 3.-	2 0.2 3.-	2 0.2 3.-	2 0.2 3.-	E
2 0.2 3.1	2 0.2 3.2	2 0.2 3.0	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.2 2.8	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	Z
												Sept. 1
2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	N
2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.1 3.-	2 0.2 2.7	2 0.2 2.4	2 0.2 2.1	2 0.2 2.2	2 0.2 2.6	2 0.2 2.5	2 0.2 2.4	2 0.2 2.4	E
Amplitudes: 0.1. Periods: 3.-.												Z
												Sept. 18
2 0.4 3.3	2 0.3 3.3	2 0.3 3.5	2 0.3 3.6	2 0.3 3.8	2 0.3 3.6	2 0.3 3.3	2 0.3 3.4	2 0.3 3.5	2 0.3 3.8	2 0.3 4.0	2 0.4 3.7	N
2 0.4 3.3	2 0.3 3.4	2 0.3 3.5	2 0.4 3.7	2 0.4 3.8	2 0.4 3.8	2 0.4 3.4	2 0.4 3.4	2 0.4 3.4	2 0.5 3.7	2 0.5 3.8	2 0.5 3.7	E
2 0.2 3.3	2 0.3 3.6	2 0.3 4.1	2 0.3 3.7	2 0.3 3.6	2 0.3 4.0	2 0.4 3.3	2 0.3 3.5	2 0.3 3.4	2 0.3 3.4	2 0.3 3.6	2 0.4 3.8	Z
												Sept. 19
1 0.7 3.5	1 0.6 3.7	1 0.7 3.6	1 0.7 3.6	1 0.7 3.4	1 0.6 3.7	1 0.6 3.5	2 0.6 3.6	2 0.5 3.5	2 0.5 3.3	2 0.4 3.6	2 0.4 3.5	N
1 0.8 3.2	1 0.8 3.7	1 0.8 3.8	1 0.8 3.6	1 0.8 3.6	1 0.7 3.5	1 0.7 3.0	2 0.7 3.6	2 0.6 3.4	2 0.6 3.4	2 0.5 3.6	2 0.5 3.7	E
1 0.6 3.6	1 0.6 3.4	1 0.6 3.4	1 0.6 3.6	1 0.6 3.5	1 0.6 3.3	1 0.6 3.3	1 0.5 3.5	2 0.5 3.6	2 0.5 3.8	2 0.4 3.7	2 0.4 3.5	Z
												Sept. 20
2 0.2 3.5	2 0.2 3.6	2 0.2 3.7										N
2 0.3 3.6	2 0.3 3.8	2 0.3 3.8										E
2 0.2 3.3	2 0.2 3.5	2 0.2 3.6	2 0.2 3.6	2 0.2 3.8	2 0.2 4.0	2 0.2 3.7	2 0.2 4.0	2 0.2 4.0	2 0.2 4.2	2 0.2 4.0	2 0.2 4.1	Z
												Sept. 21
2 0.5 4.2	2 0.3 4.3	2 0.3 4.2	2 0.3 4.1	2 0.3 4.2	2 0.3 4.3	2 0.4 4.0	2 0.3 4.0	2 0.3 4.2	2 0.3 4.2	2 0.3 4.3	2 0.3 4.3	N
2 0.4 4.3	2 0.4 4.2	2 0.4 4.3	2 0.4 4.0	2 0.4 4.4	2 0.4 4.4	2 0.4 4.4	2 0.4 4.1	2 0.4 4.4	2 0.4 4.3	2 0.4 4.4	2 0.4 4.4	E
2 0.3 3.5	2 0.2 4.1	2 0.2 4.0	2 0.2 4.0	2 0.2 4.3	2 0.2 4.2	2 0.3 4.1	2 0.3 4.3	2 0.3 4.1	2 0.3 4.4	2 0.3 4.4	2 0.3 4.3	Z
												Sept. 22
2 0.3 4.0	2 0.3 4.3	2 0.3 4.4	2 0.3 4.2	2 0.3 4.3	2 0.3 4.4	2 0.4 4.2	2 0.3 4.5	2 0.3 4.4	2 0.3 4.6	2 0.3 4.4	2 0.3 4.2	N
2 0.5 4.1	2 0.4 4.3	2 0.4 4.6	2 0.4 4.3	2 0.4 4.5	2 0.4 4.3	2 0.5 4.1	2 0.5 4.4	2 0.4 4.6	2 0.4 4.3	2 0.4 4.4	2 0.4 4.4	E
2 0.3 4.5	2 0.3 4.2	2 0.3 4.3	2 0.3 4.2	2 0.3 4.3	2 0.3 4.1	2 0.2 4.0	2 0.3 4.2	2 0.3 4.4	2 0.3 4.1	2 0.3 4.4	2 0.3 4.5	Z

Microseisms

1957														
Sept. 23	0h	1h	2h	3h	4h	5h	6h	7h	8h	9h	10h	11h		
N	2 0.4 4.0	2 0.4 4.2	2 0.3 4.6	2 0.3 4.4	2 0.3 4.0	2 0.3 4.3	2 0.3 4.0	2 0.3 4.2	2 0.3 4.5	2 0.3 4.2	2 0.3 4.0	2 0.3 3.8		
E	2 0.4 4.3	2 0.4 4.5	2 0.4 4.5	2 0.4 4.2	2 0.4 4.1	2 0.4 4.3	2 0.4 4.0	2 0.4 4.3	2 0.4 4.3	2 0.4 4.3	2 0.4 4.1	2 0.4 4.0		
Z	2 0.2 4.4	2 0.2 4.3	2 0.2 4.4	2 0.2 4.6	2 0.2 4.4	2 0.2 4.6	2 0.2 4.5	2 0.2 4.4	2 0.2 4.5	2 0.2 4.4	2 0.3 4.0	2 0.3 4.0		
Sept. 24														
N	2 0.3 3.6	2 0.3 3.5	2 0.3 3.7	2 0.3 3.8	2 0.4 3.9	2 0.4 3.7	2 0.4 4.1	2 0.5 3.9	2 0.5 3.8					
E	2 0.4 3.7	2 0.4 3.7	2 0.4 3.8	2 0.4 3.7	2 0.5 3.8	2 0.5 3.7	2 0.5 3.5	2 0.6 3.9	2 0.6 3.9					
Z	2 0.3 3.5	2 0.3 3.6	3 0.3 3.4	2 0.3 3.7	2 0.3 3.7	2 0.4 3.6	2 0.4 3.5	2 0.4 3.8	2 0.4 3.5					
Sept. 25														
N	2 0.7 3.1	2 0.7 3.3	2 0.6 3.4	2 0.6 3.4	2 0.5 3.7	2 0.5 3.6	2 0.4 3.5	2 0.4 3.8	2 0.4 3.8	2 0.4 3.6	2 0.4 3.3	2 0.4 3.0		
E	2 0.9 3.6	2 0.8 3.8	2 0.7 3.7	2 0.7 3.7	2 0.6 3.8	2 0.7 3.8	2 0.7 3.9	2 0.6 3.6	2 0.5 3.9	2 0.5 3.4	2 0.5 3.2	2 0.5 3.4		
Z	2 0.7 3.0	2 0.7 3.3	2 0.6 3.4	2 0.6 3.5	2 0.6 3.5	2 0.6 3.4	2 0.4 3.0	2 0.4 3.4	2 0.4 3.5	2 0.4 3.6	2 0.4 3.5	2 0.4 3.4		
Sept. 26														
N	2 0.3 3.1	2 0.3 3.2	2 0.3 3.2	2 0.3 3.5	2 0.3 3.4	2 0.3 3.3	2 0.3 3.3	2 0.3 3.4	2 0.3 3.5	2 0.3 3.4	2 0.3 3.6	2 0.3 3.5		
E	2 0.3 3.7	2 0.3 3.2	2 0.3 2.8	2 0.3 3.1	2 0.3 3.2	2 0.3 3.0	2 0.3 2.7	2 0.3 3.2	2 0.3 3.2	2 0.3 3.3	2 0.3 3.5	2 0.3 3.5		
Z	2 0.1 3.1	2 0.1 3.3	2 0.2 3.2	2 0.2 3.0	2 0.2 3.2	2 0.2 3.0	2 0.2 2.7	2 0.2 3.1	2 0.2 3.0	2 0.2 3.2	2 0.2 3.3	2 0.2 3.2		
Sept. 27														
N	2 0.4 3.4	2 0.4 3.6	2 0.4 3.5	2 0.5 3.4	2 0.5 3.7		1 0.6 3.4	1 0.7 3.7	1 0.8 3.7	1 0.8 3.9	1 0.9 3.6	1 0.9 3.8		
E	2 0.5 3.5	2 0.5 3.4	2 0.5 3.4	2 0.6 3.5	2 0.7 3.7		1 0.8 3.2	1 0.9 3.4	1 0.9 3.8	1 0.9 4.2	1 1.0 4.0	1 1.0 4.1		
Z	2 0.3 3.2	2 0.3 3.4	2 0.3 3.4	2 0.3 3.3	2 0.4 3.5		1 0.4 3.2	1 0.6 3.6	1 0.7 3.8	1 0.7 3.8	1 0.8 3.9	1 0.8 3.9		
Sept. 30														
N	2 0.7 3.5	2 0.7 4.0	2 0.6 4.0	2 0.5 3.9	2 0.5 3.8	2 0.5 3.9	2 0.6 3.4	2 0.5 4.0	2 0.4 4.1	2 0.4 4.2	2 0.4 4.0	2 0.4 4.0		
E	2 0.6 3.4	2 0.6 3.7	2 0.6 4.0	2 0.6 4.2	2 0.6 3.9	2 0.6 4.2	2 0.7 3.5	2 0.8 4.2	2 0.6 4.1	2 0.6 4.2	2 0.6 4.0	2 0.6 3.8		
Z	2 0.5 3.4	2 0.5 3.8	2 0.4 3.9	2 0.4 4.1	2 0.4 3.8	2 0.4 3.9	2 0.3 3.4	2 0.4 4.2	2 0.3 4.0	2 0.3 4.3	2 0.4 4.2	2 0.4 4.4		
Oct. 22														
N	2 0.6 4.0	2 0.6 4.4	2 0.7 4.1	2 0.7 4.3	2 0.6 4.4	2 0.6 3.9	2 0.5 4.0	2 0.6 4.1	2 0.6 4.0	2 0.6 4.3	2 0.6 4.2	2 0.6 4.1		
E	2 0.6 4.1	2 0.8 4.6	2 0.8 4.7	2 0.8 4.3	2 0.8 4.0	2 0.8 4.2	2 0.6 3.7	2 0.7 4.0	2 0.6 4.1	2 0.6 4.3	2 0.6 4.0	2 0.6 4.2		
Z	2 0.5 3.9	2 0.6 4.2	2 0.7 4.0	2 0.7 3.8	2 0.6 3.9	2 0.5 3.8	2 0.3 3.5	2 0.5 3.7		2 0.3 4.0	2 0.3 4.3	2 0.3 4.2		
Oct. 23														
N	2 0.2 3.7	2 0.3 4.1	2 0.3 4.0	2 0.4 4.4	2 0.4 4.4	2 0.5 4.2	2 0.5 4.1		2 0.5 4.6	1 0.7 4.8	1 0.8 4.7	1 0.9 5.0		
E	2 0.5 4.1	2 0.5 4.4	2 0.5 4.1	2 0.5 4.4	2 0.5 4.6	2 0.5 4.4	2 0.5 4.3		2 0.8 4.8	1 0.9 5.1	1 0.9 4.9	1 0.9 5.0		
Z	2 0.2 4.3	2 0.4 4.2	2 0.4 4.6	2 0.4 4.5	2 0.4 4.7	2 0.4 4.6	2 0.4 4.4		1 0.6 4.4	1 0.7 4.6	1 0.7 4.8	1 0.8 4.5		
Oct. 24														
N	1 0.8 4.6	1 0.9 4.4	1 1.0 4.3	1 1.0 4.3	1 1.0 4.1	1 1.0 4.5	1 0.9 4.7	1 1.3 4.8	1 1.4 5.0	1 1.5 5.1	1 1.5 5.0	1 1.6 5.2		
E	1 1.2 4.0	1 1.0 4.3	1 1.0 4.2	1 1.0 4.2	1 1.1 4.4	1 1.1 4.3	1 1.4 4.0	1 1.5 4.6	1 1.4 4.7	1 1.5 5.0	1 1.6 5.2	1 1.7 5.2		
Z	1 0.9 4.3	1 1.0 4.6	1 1.0 4.5	1 1.0 4.3	1 1.0 4.7	1 1.0 4.8	1 1.0 4.6	1 1.0 4.6	1 1.2 4.6	1 1.1 5.0	1 1.3 4.6	1 1.5 4.8		
Nov. 14														
N	1 1.0 4.9	2 1.0 4.7	1 1.0 4.8	1 1.2 5.0	1 1.0 4.6	1 1.0 4.8	2 0.6 4.8	2 0.8 4.7	2 0.7 5.0	2 0.8 4.9	2 0.7 4.5	2 0.5 4.5		
E	2 0.8 5.0	1 0.9 5.0	1 1.5 4.7	1 1.0 4.6	2 1.2 5.2	1 1.0 4.7	1 1.0 5.5	2 0.8 5.0	2 0.8 4.8	2 0.7 4.0	2 0.8 4.6	2 0.7 4.3		
Z	1 0.6 4.9	1 0.6 4.9	1 0.9 4.6	1 0.8 5.2	2 0.6 4.6	2 0.8 4.9	2 0.5 4.9	2 0.6 5.0	2 0.5 5.0	2 0.5 4.4	2 0.5 4.9	2 0.4 4.9		
Nov. 21														
N	3 0.6 4.9	3 0.9 4.3	3 0.6 4.6	3 0.7 4.5	3 0.8 4.7	3 0.7 4.4	3 0.9 4.0	2 0.9 4.8	2 1.0 5.0	2 0.9 4.6	2 0.9 4.7	2 1.0 4.6		
E	3 0.7 4.7	3 0.6 4.3	3 0.9 4.3	3 0.9 4.2	3 0.8 4.5	3 0.8 4.6	2 0.9 5.2	2 1.0 4.9	2 1.0 4.8	2 0.8 4.4	2 1.1 4.7	2 0.9 4.3		
Z										2 0.8 4.8	2 0.5 5.0	2 0.6 4.9		
Nov. 22														
N	1 1.0 4.5	1 1.2 4.1	1 1.0 4.1	1 1.0 4.6	1 1.0 4.5	1 1.3 4.5	1 1.2 4.7	1 1.3 4.6	1 1.2 4.4	1 1.8 4.7	1 1.5 4.5	1 1.7 4.9		
E	1 1.1 4.4	1 1.2 4.5	1 1.0 4.4	1 1.2 4.6	1 1.1 4.8	1 1.4 4.3	1 1.4 4.8	1 1.5 4.6	1 1.7 4.9	1 1.8 4.5	1 1.6 5.0	1 1.9 4.9		
Z	2 0.9 4.2	2 1.0 4.3	2 1.0 4.3	1 0.7 4.7	1 0.9 4.6	1 1.1 4.5	1 1.0 4.5	1 1.0 4.3	1 1.6 4.6	1 1.7 4.9	1 1.8 5.1	1 1.8 4.6		

København

12h	13h	14h	15h	16h	17h	18h	19h	20h	21h	22h	23h	1957 Sept. 23
2 0.4 3.6	2 0.4 3.7	2 0.4 3.6	2 0.4 3.5	2 0.4 3.7	2 0.4 3.6	2 0.4 3.5	2 0.4 3.9	2 0.4 3.8	2 0.3 4.0	2 0.3 3.8	2 0.3 3.9	N
2 0.5 4.2	2 0.5 3.9	2 0.5 3.8	2 0.5 3.9	2 0.5 3.8	2 0.4 4.0	2 0.4 3.6	2 0.4 3.7	2 0.4 3.6	2 0.3 3.9	2 0.3 3.8	2 0.3 4.0	E
2 0.4 3.6	2 0.4 3.9	2 0.4 3.8	2 0.4 3.9	2 0.4 4.2	2 0.4 3.5	2 0.4 3.3	2 0.4 3.4	2 0.3 3.6	2 0.3 3.7	2 0.3 3.6	2 0.3 3.7	Z
												Sept. 24
2 0.9 3.8	2 0.9 3.6	2 0.8 3.7	2 0.8 3.5	2 1.0 3.6	2 1.0 3.7	2 1.1 3.4	2 1.0 3.6	2 1.0 3.7	2 0.8 3.6	2 0.8 3.5	2 0.8 3.4	N
2 1.0 3.2	2 1.0 3.8	2 1.0 3.9	2 1.0 3.8	2 1.0 4.0	2 1.1 4.1	2 1.1 4.2	2 1.1 4.0	2 1.0 3.9	2 1.0 3.6	2 0.8 3.7	2 0.9 3.6	E
2 0.7 3.1	2 0.7 3.4	2 0.8 3.6	2 0.8 3.3	2 0.8 3.6	2 0.8 3.5	2 0.7 3.3	2 0.7 3.5	2 0.7 3.4	2 0.6 3.4	2 0.7 3.3	2 0.7 3.3	Z
												Sept. 25
2 0.4 3.3	2 0.4 3.3	2 0.4 3.2	2 0.4 3.4	2 0.4 3.3	2 0.4 3.4	2 0.4 2.9	2 0.4 3.2	2 0.3 3.0	2 0.3 3.3	2 0.3 3.4	2 0.3 3.3	N
2 0.6 2.7	2 0.6 3.0	2 0.6 3.0	2 0.5 3.2	2 0.4 2.8	2 0.4 3.0	2 0.4 3.0	2 0.4 3.0	2 0.4 3.3	2 0.4 3.4	2 0.3 3.3	2 0.3 3.2	E
2 0.4 3.1	2 0.4 3.4	2 0.4 3.6	2 0.4 3.3	2 0.3 3.4	2 0.3 3.5	2 0.3 3.1	2 0.3 3.0	2 0.3 3.2	2 0.3 3.2	2 0.2 3.2	2 0.2 3.4	Z
												Sept. 26
2 0.3 3.5	2 0.3 3.7	2 0.3 3.4	2 0.3 3.4	2 0.4 3.4	2 0.4 3.3	2 0.4 3.2	2 0.4 3.4	2 0.4 3.2	2 0.4 3.5	2 0.4 3.4	2 0.4 3.6	N
2 0.3 3.6	2 0.3 3.7	2 0.3 3.5	2 0.3 3.4	2 0.3 3.4	2 0.3 3.5	2 0.3 3.6	2 0.4 3.5	2 0.4 3.7	2 0.4 3.6	2 0.4 3.3	2 0.4 3.6	E
2 0.1 3.2	2 0.2 3.3	2 0.2 3.2	2 0.2 3.3	2 0.2 3.3	2 0.2 3.2	2 0.2 3.6	2 0.2 3.4	2 0.2 3.3	2 0.3 3.4	2 0.3 3.4	2 0.3 3.4	Z
												Sept. 27
1 0.9 3.8	1 0.9 4.0	1 0.9 4.1	1 0.9 3.8	1 0.9 4.2	1 0.9 4.0	1 0.8 4.0	1 0.9 4.2	1 1.0 4.0	1 1.0 3.9	1 1.0 3.9	1 1.0 4.2	N
1 1.0 4.2	1 1.0 4.0	1 1.1 4.1	1 1.1 3.9	1 1.2 4.1	1 1.2 4.0	1 1.2 3.9	1 1.3 4.1	1 1.4 4.3	1 1.4 4.4	1 1.4 4.2	1 1.5 4.2	E
1 0.7 4.0	1 0.8 4.2	1 0.8 4.0	1 0.8 4.0	1 0.8 3.7	1 0.8 3.7	1 0.8 3.5	1 0.9 4.0	1 0.9 3.9	1 0.9 4.0	1 1.0 4.1	1 1.0 4.0	Z
												Sept. 30
2 0.6 3.8	2 0.5 4.0	2 0.5 3.8	2 0.4 4.3	2 0.4 4.4	2 0.4 4.3	2 0.4 4.6	2 0.3 4.2	2 0.3 4.0	2 0.3 4.3	2 0.3 4.4	2 0.3 4.4	N
2 0.6 3.8	2 0.6 4.2	2 0.5 3.9	2 0.5 3.9	2 0.5 4.2	2 0.4 4.3	2 0.5 4.0	2 0.4 4.3	2 0.4 4.0	2 0.3 4.1	2 0.3 4.3	2 0.3 4.3	E
2 0.4 4.6	2 0.4 4.3	2 0.3 4.4	2 0.3 4.4	2 0.2 4.3	2 0.2 4.4	2 0.2 4.2	2 0.2 4.4	2 0.2 4.4	2 0.2 4.5	2 0.2 4.6	2 0.2 4.3	Z
												Oct. 22
2 0.6 4.0	2 0.5 4.2	2 0.5 4.0	2 0.5 3.9	2 0.4 4.0	2 0.4 4.0	2 0.4 3.7	2 0.4 4.3	2 0.3 4.0	2 0.3 4.1	2 0.3 4.0	2 0.3 4.0	N
2 0.6 3.4	2 0.5 4.1	2 0.5 4.0	2 0.5 4.3	2 0.4 3.9	2 0.5 4.1	2 0.5 3.9	2 0.5 4.0	2 0.5 4.2	2 0.5 4.0	2 0.5 4.2	2 0.5 4.0	E
2 0.2 4.3	2 0.3 4.1	2 0.3 4.1	2 0.3 4.0	2 0.3 4.2	2 0.3 3.9	2 0.3 3.8	2 0.3 4.2	2 0.3 4.1	2 0.3 4.0	2 0.4 4.0	2 0.4 3.9	Z
												Oct. 23
1 0.8 4.9	1 0.9 4.9	1 0.9 5.2	1 0.8 4.8	1 0.8 4.6	1 0.8 4.8	1 0.8 4.5	1 0.8 4.6	1 0.9 4.8	1 0.9 4.6	1 0.9 4.7	1 0.9 4.7	N
1 1.0 4.6	1 1.0 4.8	1 1.0 5.0	1 1.0 5.2	1 1.0 4.8	1 1.0 4.9	1 1.0 4.5	1 1.1 4.7	1 1.2 4.9	1 1.3 4.9	1 1.2 4.9	1 1.0 4.9	E
1 1.0 4.3	1 1.0 4.6	1 1.0 4.8	1 1.0 4.8	1 0.9 5.0	1 1.0 4.7	1 0.8 4.6	1 0.9 4.8	1 1.0 4.7	1 1.0 5.1	1 1.0 4.7	1 1.0 4.6	Z
												Oct. 24
1 1.5 5.3	1 1.7 4.9	1 1.8 5.0	1 2.0 5.2	1 2.0 5.0	1 2.2 5.3	1 2.5 4.9	1 2.5 5.5	1 2.6 5.3	1 2.8 5.2	1 2.8 5.2	1 3.0 5.0	N
1 1.5 5.2	1 1.8 5.4	1 1.6 4.9	1 1.6 5.2	1 1.7 5.0	1 1.7 4.9	1 2.0 5.3	1 2.2 5.4	1 2.4 5.0	1 2.7 5.2	1 2.5 4.9	1 2.2 5.0	E
1 1.5 4.8	1 1.6 4.5	1 1.6 4.8	1 1.6 5.2	1 1.6 4.9	1 1.6 4.8	1 2.0 5.4	1 2.0 5.0	1 2.2 4.7	1 2.4 4.6	1 2.3 5.3	1 2.4 4.7	Z
												Nov. 14
2 0.5 4.5	2 0.5 4.5	2 0.5 4.9	2 0.6 4.7	2 0.5 4.5	2 0.5 4.4	2 0.4 4.7	2 0.4 4.4	2 0.4 4.4	2 0.5 4.2	2 0.4 4.4	2 0.4 4.4	N
2 0.6 4.6	2 0.6 4.7	2 0.6 4.5	2 0.6 4.2	2 0.5 4.5	2 0.7 4.2	2 0.6 4.2	2 0.4 4.3	2 0.4 4.5	2 0.5 4.1	2 0.4 4.6	2 0.4 4.3	E
2 0.5 4.8	2 0.4 5.1	2 0.4 4.9	2 0.5 4.4	2 0.5 4.6	2 0.5 4.0	2 0.5 4.1	2 0.4 4.5	2 0.5 4.0	2 0.4 4.2	2 0.4 4.2	2 0.3 4.6	Z
												Nov. 21
2 0.9 4.3	2 0.9 4.5	2 1.0 4.5	2 1.2 5.1	2 1.2 4.7	2 1.1 4.8	2 1.0 4.5	2 1.0 5.0	2 1.0 4.4	2 1.0 4.8	2 1.0 4.7	1 1.1 4.3	N
2 0.9 4.8	2 1.0 5.0	2 1.1 4.8	2 1.0 4.8	2 1.0 4.4	2 1.1 4.8	2 1.0 4.5	2 1.0 4.4	2 1.1 4.9	2 1.0 4.8	1 1.1 5.1	1 0.9 4.5	E
2 0.7 4.5	2 0.6 4.7	2 0.6 4.6	2 1.0 5.1	2 0.7 5.0	2 0.7 4.6	2 0.9 5.0	2 1.0 4.6	2 0.8 4.9	2 0.7 5.0	2 0.8 5.1	2 0.9 4.8	Z
												Nov. 22
1 2.1 4.9	1 2.2 4.4	1 2.0 5.0	1 1.9 5.1	1 2.0 4.6	1 1.7 4.8	1 1.9 5.0	1 1.7 4.6	1 1.5 5.0	1 1.6 4.8	1 1.5 4.8	1 1.3 4.9	N
1 2.4 4.8	1 1.9 4.8	1 1.6 4.8	1 1.8 4.8	1 1.6 4.9	1 1.7 4.7	1 1.7 5.2	1 1.6 4.9	1 1.7 5.0	1 1.7 4.8	1 1.8 4.8	1 1.6 5.0	E
1 1.9 4.7	1 2.0 4.6	1 1.7 4.6	1 1.6 4.8	1 1.7 4.6	1 1.6 4.7	1 1.5 4.5	1 1.6 4.9	1 1.6 5.3	1 1.4 4.9	1 1.5 4.7	1 1.1 4.7	Z

Microseisms													
1957													
Dec. 12	0h	1h	2h	3h	4h	5h	6h	7h	8h	9h	10h	11h	
N	3 2.0 4.3	3 2.6 4.2	3 2.6 4.1	3 1.7 4.7	3 1.5 4.6	3 1.5 4.5	3 1.7 4.7	3 1.5 4.5	3 1.5 4.4	3 1.8 4.0	3 1.8 4.0	3 1.7 4.2	
E	3 2.5 4.4	3 2.5 4.2	3 2.3 4.3	3 2.0 4.4	3 2.5 4.5	3 2.3 4.5	3 2.0 4.3	3 2.0 4.3	3 1.7 4.6	3 1.6 4.4	3 1.7 4.4	3 1.5 4.6	
Z										3 1.8 4.0	3 2.1 4.0	3 1.7 4.5	
Dec. 13													
N	3 0.9 4.4	3 0.7 4.6			3 0.7 4.6	3 0.8 4.2	3 0.6 4.0	3 0.7 4.1	3 0.7 4.0	3 0.7 3.8	3 0.7 3.6	3 0.7 3.7	
E	3 1.1 4.6	3 1.0 4.3				3 0.8 4.-	3 0.8 4.-	3 0.8 4.-	3 0.9 4.-	3 .. 4.1	3 0.8 3.8	3 0.8 3.7	
Z	3 1.0 4.3	3 1.0 4.3			3 0.7 4.3	3 0.7 4.0	3 0.6 4.2	3 0.6 3.8	3 0.6 3.9	3 0.6 4.0	3 0.6 3.8	3 0.7 4.1	
Dec. 14													
N	3 0.7 3.4	3 0.6 3.5	3 0.7 3.4	3 0.7 3.4	3 0.7 3.4	3 0.7 3.2	3 0.6 3.4	3 0.6 3.5	3 0.6 3.5	3 0.6 3.4	3 0.6 3.4	3 0.6 3.5	
E	3 0.6 3.5	3 0.6 3.7	3 0.6 3.3	3 0.6 3.4	3 0.7 3.4	3 0.7 3.3	3 0.7 3.2	3 0.7 3.3	3 0.7 3.2	3 0.7 3.3	3 0.7 3.4	3 0.7 3.4	
Z	3 0.6 3.5	3 0.6 3.5	3 0.6 3.7	3 0.6 3.8	3 0.6 3.5	3 0.6 3.6	3 0.6 3.6	3 0.6 3.5	3 0.6 3.4	3 0.6 3.4	3 0.6 3.4	3 0.6 3.4	
Dec. 15													
N	3 0.7 3.9	3 1.0 4.2	3 1.0 4.6	1 1.0 4.6	1 1.0 4.5	1 1.0 4.6	1 1.0 4.9	1 1.1 4.7	1 1.3 5.2	1 1.2 5.3	1 1.2 5.0	1 1.1 5.0	
E	3 0.8 4.1	3 0.8 4.2	3 0.8 4.2	3 0.8 4.3	1 1.1 4.6	1 1.1 4.5	1 1.2 5.1	1 1.0 5.0	1 1.4 4.8	1 1.4 5.0	1 1.0 4.9	1 1.0 5.1	
Z	1 0.8 4.2	1 0.9 4.2	1 1.0 4.4	1 1.0 4.7							1 1.0 5.1	1 1.4 5.0	
Dec. 16													
N	3 2.3 5.6	3 2.0 5.0	3 2.3 5.2	3 2.0 5.7	3 2.5 5.7	3 3.0 5.7	3 3.3 5.6	3 3.4 5.7	3 3.3 6.0	3 2.8 6.0	3 3.0 5.8	3 3.0 6.0	
E	3 1.7 5.3	3 2.0 5.1	3 2.2 5.3	3 2.2 5.5	3 2.3 5.4	3 2.6 5.7	3 2.4 5.8	3 3.0 5.6	3 3.4 5.6	3 3.0 5.5	3 2.5 5.2	3 2.5 6.0	
Z	3 2.0 5.2	3 1.8 5.0	3 2.0 5.4	3 2.0 5.8	3 2.0 5.5	3 2.5 5.7	3 3.0 5.4			3 2.0 6.-	3 2.4 6.-	3 2.5 6.-	
Dec. 17													
N	3 2.5 5.8	3 2.9 5.7	3 2.5 6.0	3 2.9 5.7	3 2.5 6.0	3 2.7 5.5			3 2.6 5.6	3 2.6 5.8	3 2.8 5.4	3 2.8 5.7	
E	3 2.7 5.7	3 2.2 5.5	3 2.4 5.3	3 2.4 5.0	3 2.6 5.4	3 2.3 5.3			3 2.5 5.4	3 2.7 6.0	3 2.4 5.3	3 2.8 5.3	
Z	3 2.3 5.7	3 2.3 5.6	3 2.5 5.8	3 2.0 5.2	3 2.3 5.4	3 2.6 5.7			3 3.0 5.7	3 2.4 5.8	3 2.5 5.7	3 2.5 5.6	
Dec. 18													
N	3 2.1 5.7	2 1.8 5.4	2 1.7 5.4	2 1.9 5.6	2 1.6 5.1	2 1.5 5.5	2 1.5 5.2	2 1.4 5.6	2 1.3 5.0	2 1.2 4.8	2 1.2 5.0	2 1.0 5.0	
E	2 1.6 5.4	2 1.5 5.0	2 1.5 5.6	2 1.6 5.0	2 1.5 4.6	2 1.5 5.2	2 1.5 4.8	2 1.3 4.7	2 1.4 5.1	2 1.1 5.0	2 1.1 5.0	2 1.1 4.7	
Z	2 1.8 5.4	2 1.4 5.2	2 1.3 5.4	2 1.3 5.5	2 1.2 5.2					2 1.1 5.2	2 1.1 5.2	2 1.0 4.8	
Dec. 19													
N	2 1.2 5.1	2 1.1 5.2	2 1.2 5.1	2 1.2 5.0	2 1.0 5.1	2 1.0 4.7	2 1.0 4.8	2 1.1 4.7	2 1.3 4.8	2 1.2 4.6	2 1.0 4.9	2 1.3 5.0	
E	2 1.4 5.1	2 1.2 4.8	2 1.3 4.9	2 1.5 5.1	2 1.2 4.8	2 1.2 4.7	2 1.1 4.9	2 1.4 5.2	2 1.4 5.2	2 1.4 5.0	2 1.0 4.9	2 1.0 4.6	
Z	2 1.1 5.2	2 1.1 4.9	2 1.1 5.2	2 1.0 4.7	2 1.1 4.9	2 1.0 4.6	2 1.0 4.7				2 1.1 4.8	2 1.0 5.1	
Dec. 20													
N	3 1.5 4.9	3 1.3 5.0	3 1.4 5.0	3 1.7 4.4	3 1.7 4.5	3 1.9 4.8	3 1.8 4.8	3 1.9 5.3	3 1.7 5.3		3 2.0 5.7	3 2.0 5.7	
E	3 1.5 4.9	3 1.7 5.0	3 1.5 4.8	3 1.8 4.7	3 1.7 4.8	3 1.6 4.5	3 1.7 4.7	3 1.7 4.6	3 1.8 4.8		3 2.1 5.2	3 2.6 5.0	
Z													
Dec. 21													
N	3 2.6 5.5	3 2.6 5.0	3 2.2 4.9	3 2.3 5.3	3 2.0 5.0	3 2.7 4.7	3 2.5 5.1	3 2.6 5.4	3 2.7 5.3	3 2.7 5.1	3 2.5 5.3	3 2.7 5.2	
E	3 3.2 4.8	3 3.0 5.0	3 2.6 4.8	3 2.5 5.0	3 2.6 4.9	3 2.7 4.7	3 2.7 5.0	3 2.5 5.0	3 2.5 5.2	3 2.8 5.0	3 2.7 5.6	3 2.6 5.5	
Z													
Dec. 22													
N	3 1.8 5.4	3 2.0 5.3	3 1.9 5.1	3 1.9 5.5	3 1.7 5.0	3 2.0 5.3	3 1.9 4.9	3 1.9 4.7	3 1.8 5.3	3 1.8 5.2	3 1.7 5.6	3 1.6 5.0	
E												3 1.9 4.8	
Z													

København

12h	13h	14h	15h	16h	17h	18h	19h	20h	21h	22h	23h	1957 Dec. 12
3 1.7 4.3	3 1.4 4.8	3 1.3 4.7	3 1.5 4.3	3 1.2 4.6	3 1.2 4.6	3 1.4 5.0	3 1.0 4.8	3 1.1 4.4	3 1.0 4.6	3 1.0 4.4	3 1.0 4.8	N
3 1.8 4.7	3 1.5 4.4	3 1.5 4.4	3 1.4 4.3	3 1.3 4.6	3 1.3 4.7	3 1.2 4.8	3 1.2 4.8	3 1.2 4.5	3 1.3 4.5	3 1.0 4.4	3 1.1 4.6	E
3 1.4 4.6	3 1.5 4.8	3 1.6 4.5	3 1.6 4.3	3 1.5 4.2	3 1.2 4.5	3 1.3 4.8	3 1.1 4.5	3 1.1 4.5	3 1.0 4.6	3 1.1 4.3	3 1.1 4.7	Z
												Dec. 13
3 0.6 3.7	3 0.6 4.0	3 0.6 3.5	3 0.6 3.8	3 0.6 3.7	3 0.6 3.6	3 0.6 3.6	3 0.6 3.5	3 0.6 3.5		3 0.6 3.3	3 0.6 3.4	N
3 0.8 3.6	3 0.8 3.6	3 0.8 3.5	3 0.7 4.0	3 0.6 3.9	3 0.6 3.6	3 0.6 3.7	3 0.6 3.9	3 0.6 3.6		3 0.6 3.6	3 0.6 3.5	E
3 0.6 3.9	3 0.5 3.7	3 0.6 3.6	3 0.5 3.6	3 0.6 3.5	3 0.6 3.8	3 0.5 3.5	3 0.6 3.5	3 0.6 3.4			3 0.7 3.5	Z
												Dec. 14
3 0.6 3.5	3 0.6 3.6	3 0.6 3.5	3 0.6 3.6	3 0.6 3.5	3 0.6 3.3	3 0.6 3.5	3 0.6 3.2	3 0.6 3.2	3 0.6 3.7	3 0.7 3.8	3 0.8 3.8	N
3 0.7 3.2	3 0.8 3.5	3 0.7 3.6	3 0.7 3.6	3 0.8 3.6	3 0.7 3.4	3 0.7 3.6	3 0.7 3.6	3 0.7 3.5	3 0.7 3.8	3 0.7 3.8	3 0.8 3.9	E
3 0.7 3.5	3 0.7 3.4	3 0.7 3.5	3 0.6 3.7	3 0.6 3.5	3 0.6 3.5	3 0.6 3.5	3 0.6 3.5	3 0.6 3.5	3 0.6 3.8	3 0.6 3.7	3 0.7 3.9	Z
												Dec. 15
1 1.1 5.0	1 1.1 5.3	1 1.0 5.1	2 0.8 4.7	2 0.8 5.0	2 0.9 5.1	2 1.0 5.1	2 1.1 5.1	2 1.0 5.3	2 1.5 5.3	3 1.5 4.8	3 2.0 5.3	N
1 0.9 5.2	1 1.3 5.3	1 1.0 5.1	2 0.9 4.9	2 0.8 5.0	2 1.0 4.8	2 0.9 4.7	2 1.0 4.8	2 1.0 5.2	2 1.2 5.0	2 1.4 5.2	3 1.6 5.3	E
1 1.2 5.4	1 1.0 5.0	1 1.1 4.9	1 1.1 5.0	1 1.0 5.1	1 1.0 5.2	1 1.0 5.3	1 1.0 5.2	1 1.0 5.4	1 1.4 5.5	1 1.5 5.1	3 1.6 5.2	Z
												Dec. 16
3 3.0 6.5	3 2.8 5.9	3 2.5 6.0	3 2.7 5.6	3 2.8 5.6	3 2.8 5.7	3 3.0 6.0	3 3.0 5.8	3 3.3 6.3	3 3.2 6.0	3 3.0 6.0	3 3.0 5.7	N
3 2.5 6.5	3 2.5 5.3	3 2.7 5.3	3 2.5 5.4	3 2.7 5.5	3 2.6 5.5	3 2.9 5.3	3 2.7 5.5	3 2.8 5.0	3 2.5 6.0	3 2.7 6.0	3 2.3 6.0	E
3 2.8 7.-	3 2.6 6.-	3 2.7 5.5	3 2.4 5.5	3 2.5 5.4	3 2.7 6.0	3 2.8 6.0	3 2.5 6.0	3 3.0 5.7	3 2.6 6.0	3 2.5 6.0	3 2.4 6.0	Z
												Dec. 17
3 3.0 6.0	3 2.4 5.6	3 2.4 5.6			3 2.6 6.0	3 2.5 6.4	3 2.0 5.6	3 2.3 5.3	3 1.9 5.2	3 2.0 5.7	3 1.6 5.7	N
3 2.5 5.4	3 2.3 5.7	3 2.2 5.5			3 2.5 5.9	3 2.2 5.4	3 2.4 5.9	3 2.2 5.8	3 1.9 5.7	3 2.0 5.5	3 2.0 5.8	E
3 2.3 5.9	3 2.2 5.5	3 2.2 5.8			3 2.5 5.9	3 2.3 6.2	3 2.3 5.3	3 2.4 5.7	3 2.2 5.5	3 2.0 5.8	3 2.0 5.4	Z
												Dec. 18
2 1.0 4.8	2 1.0 4.5	2 0.9 5.0	2 1.0 4.7	2 1.1 4.6	2 1.2 4.9	2 1.4 5.1	2 1.2 4.9	2 1.2 5.1	2 1.3 4.8	2 1.2 5.1	2 1.1 5.2	N
2 1.0 4.6	2 1.0 4.5	2 0.9 4.8	2 0.9 4.6	2 0.9 4.9	2 1.2 5.1	2 1.5 4.7	2 1.4 4.7	2 1.4 5.3	2 1.4 5.0	2 1.3 4.9	2 1.2 4.9	E
2 0.9 4.9	2 1.0 5.0	2 1.0 4.7	2 1.0 4.5	2 1.1 5.2	2 1.0 5.0	2 1.0 4.8	2 1.1 4.9	2 1.2 4.9	2 1.0 4.7	2 1.0 4.8	2 1.0 4.9	Z
												Dec. 19
3 1.2 5.2	3 1.0 4.4	3 1.0 4.5	3 1.0 4.2	3 1.0 4.3	3 1.0 4.1	3 1.0 4.6	3 1.0 4.9	3 1.0 4.5	3 1.1 4.7	3 1.2 4.6	3 1.4 4.8	N
2 1.1 4.6	3 1.0 4.6	3 1.0 4.8	3 1.0 4.4	3 1.0 4.3	3 1.1 4.7	3 1.1 4.9	3 1.2 5.1	3 1.3 4.9	3 1.4 4.6	3 1.5 5.1	3 1.4 4.6	E
.. ..												Z
												Dec. 20
3 5.4	3 2.2 5.2	3 2.2 5.0	3 2.6 5.0	3 2.0 4.8	3 2.7 5.4	3 2.8 5.5	3 2.5 5.6	3 3.0 5.3	3 3.2 5.7	3 3.0 5.0	3 2.3 5.2	N
3 2.5 5.2	3 2.4 4.8	3 2.4 5.3	3 2.5 5.2	3 2.3 4.6	3 2.5 5.2	3 2.5 5.5	3 2.5 4.8	3 2.5 5.0	3 2.7 5.5	3 3.0 5.0	3 3.0 4.7	E
.. ..												Z
												Dec. 21
3 2.4 5.1	3 2.5 5.2	3 2.2 5.5	3 2.0 5.0	3 2.6 5.5	3 2.0 4.9	3 2.3 5.2	3 2.0 5.0	3 2.2 5.0	3 2.4 5.5	3 2.5 5.3	3 2.0 5.1	N
3 2.5 5.1	3 2.6 5.0	3 2.5 4.8	3 2.3 5.4	3 2.3 5.2								E
.. ..												Z
												Dec. 22
3 1.6 4.8	3 1.4 4.8	3 1.7 5.0	3 1.5 4.9	3 1.4 4.8	3 1.4 5.1	3 1.4 4.6	3 1.5 4.8	3 1.6 5.0	3 1.4 4.9	3 1.3 4.7	3 1.4 5.3	N
3 1.5 4.7	3 1.5 5.2	3 1.7 5.0	3 1.7 5.0	3 1.8 5.5	3 1.6 4.8	3 1.5 4.9	3 1.7 4.7	3 1.7 5.0	3 1.6 4.7	3 1.6 5.0	3 1.6 5.3	E
.. ..												Z