

No. 4

1933.

GEODÆTISK INSTITUT
Copenhagen, Denmark.

Bulletin of the Seismological Station

IVIGTUT

$\phi = 61^{\circ} 12' N.$ $\lambda = 48^{\circ} 11' W.$ $h = 20 m.$

Lithologic Foundation: Gneiss.

Instruments: WIECHERT 1000 Kg. Horizontal Seismograph
WIECHERT 1300 Kg. Vertical Seismograph.

Constants (June - Dec.)

Component	T	v	r	V
	sec		mm	
N	9.2	3.8	0.4	175
E	9.4	4.2	0.5	210
Z	5.1	4.2	0.1	200

Until May the instruments were not in good working order. In May the instruments and the clock were repaired and since then they have been working well. The clock corrections have been determined daily and time known with an accuracy of 1/10 sec.

No.	Date	Hour	Forerunners				L	Undef.	△	Remarks	
			P		S						h m s
			m	s	m	s	h m s	m s	h m	h m o	
	1933										
	Jan.										
1	4	2						.2			Strong microseisms.
2	4	4						.3			" "
3	7	4						.8			" "
											No records 8 ^d 18 ^h - 10 ^d 15 ^h .
4	18	9						.4			
5	21	19				42 13		1.2			Indian Ocean.
6	23	18				36			54		
7	27	23				7		.4			
	Febr.										
8	3	22	123	8	32	22			47		71 Kurile Islands.
9	13	3							.3		
10	19	9						.7			
11 ^x	23 ^x	8	21	41			31 58	.8			Chile.
12	27	17						.6			Faint.
	March										
13 ^x	2 ^x	17	43	0	53	6	46 14	54 20 ^x	66		80 Pacific Ocean East of Japan.
14	2	20						1.4			Small preceding movement.
15	3	9						.9			Superposed on preceding shock.
											15 ^d 14 ^d 15 ^h no N or E records.
16	11	2		3.2			14.7		24		P uncertain. California.
17	17	16	i 5	46	14	6		.4			61 Kamtchatka.
18	17	19						1.4			Small preceding movement.
19	18	4						.1			
20	26	19						.5			
21	28	4						.7			
	April										
22	9	3							26		Small preceding movement.
23	9	4	8	8	16	14			27		59 Off west coast of Mexico.

No.	Date	Hour	Forerunners				L	Undef.	△	Remarks	
			P		S						h m s
			m	s	m	s	h m s	m s	h m	o	
	1933										
	April										
24	9	21							35		
25	19	7							34		
26	25	22							49		
27 ^x	27 ^x	2	i44	18	51	o	46 14		55	46	Alaska.
28	27	12					13.4		.4		Near Alaska.
	May										
29	1	10							26		
30	1	19							.3		Some preceding movement.
31	1	20	2	42	12.2				.5	74	No records ^{2^d} ^{1³^h} _{27^d 18^h} -
32	29	11							.3		
33	30	12							.2		
	June										
34	2	7	51	22					1.4		Japan. P quite small.
35	6	3							.4		
36	7	11	i58	56		69 39			1.5		China.
37	8	18			32.7				.8		Japan.
38	10	11							.9		P small, between 22 ^m and 23 ^m .
39 ^x	10 ^x	12							12		Iceland.
40	10	13							43		
41	10	14							21		
42	10	15							19		
43	10	16							36		
44	10	20							44		
45	12	15							46		
46	13	20				55.4			1.2		Japan.
47	13	22				34 45	38.2		42		Alaska.
48	18	4							.9		
49	18	21	i49	46	59	50			1.2	80	Japan.
50 ^x	19	19				2.5			10		Alaska.
51 ^x	24 ^x	22							45		Sumatra.
52	25	21				4.7			8		
53	28	23	i44	33	52	35			1.0	58	Aleutian Islands, S quite small.
54	29	3							.1		
55	29	15							26		Small.
56	29	16							43		
57	29	16							59		
58	29	17							48		Quite small.
59	29	18							34		
	July										
60	9	1	i41	34	i51	o	41 46	51 38	1.1	73	East of Hokkaido, Japan
61	9	5	44		52.5				63		Mexico.
62	9	9	39.5		49.0				1.0		Kurile Islands.
63	9	9	59	45					1.4		Superposed on preceding shock.
64	9	12							.0		
65	9	12	i42	11	51	38			1.1	73	East of Hokkaido, Japan.
66	9	16	18	36	28.1				.7		" " P quite small.
67	9	18							.5		
68	9	22							.9		
69	10	0	i33	40	43	39			1.1	79	East of Japan.
70	10	3	31	49	39.9		35.4		.9	60	Mexico.
71	10	11							.6		
72	19	5							.5		
73	19	11							.3		Faint preceding movement

No.	Date	Hour	Forerunners								L	Undef.	△	Remarks			
			P		S										h	m	h
			m	s	m	s	h	m	s	m	s	h	m	h	m	o	
	1933																
	July																
74	19	14										.2					Disturbed.
75	19	15	9	57								.4					Aleutian Islands region.
76	19	20										.5					
77	20	23	126	6													Japan.
78	21	20					27	37				1.0					Atlantic Ocean.
79	22	21	1	5	1	12	55						20				57 Pacific Ocean.
80	23	4	25	13	35	15											80 Peru, P. and S. quite small.
81	23	9					44	40				48.9		50			Atlantic Ocean.
82	24	19					25.6					.8					Samoa.
83	26	5										.3					
84	30	18										.4					
85	31	9											13				
86	31	11											39				
	Aug.																
87	11	9										.7					
88	13	10										.6					
89	15	0					55	40					57				
90	20	12										.6					
91	25 ^x	8	3	3 ^x	13	34	1	6	18			19.0					85 China.
92 ^x	28 ^x	22					1	38	39			40	7 ^x				South Sandwich Islands.
93	29	15	1	3	10	11	52	1	5	19							Brazil. Deep focus.
94	31	3										12.4		16			
	Sept.																
95	2	17			63	9	55	0	63	37							Recording interrupted 64 ^m - 68 ^m .
96 ^x	6 ^x	22					1	26	29	28	42						Fiji Islands region.
97	7	23										.1					
98	9	21										1.3					Faint preceding movement.
99	19	23											58				
100	24	15	29	44								.8					60 S. quite small. Aleutian Islands.
101	25	14										.7					
102	25	19	1	3	10	12	40					21.3					Turkestan. Possibly an earlier small beginning of P.
103	30	15										.4					
	Oct.																
104	2	15										.0					
105 ^x	2 ^x	15	1	40	24	49	15	42	55	50	22	.9					67 Ecuador.
106	5	5											57				
107	5	6											28				
108	5	13	1	40	41							1.0					67 Persia
109	14	22										.8					
110 ^x	25 ^x	23	40	32 ^x	50	45	52	20	56	29							Argentina.
111	26	12										37.4		44.2			
	Nov.																
112	2	12										.8					
113 ^x	20 ^x	23	24	56													Baffin Bay.
114	22	13										.6					
115	23	19										.5					
116	28	11			29	31				37		.7					Persia.
	Dec.																
117	2	21										.1					Strong microseisms.
118	4	19						1	53	38							" "
119	12	15										.2					

No. 4

IVIGTUT

1933.

No.	Date	Hour	Forerunners				L	Undef.	△	Remarks.		
			P		S						h	m
	1933		m	s	m	s	h	m	h	m	o	
	Dec.											
120	13	21				41.9	.9					
121	14	1					54					
122	14	7					51					
123 ^x	15 ^x	7	44	10	46	8				11		South of Greenland.
124	19	5					.9					
125	19	17					56					

^x affixed to number and date refers to Notes.

^x affixed to time of phase indicates that beginning of phase is in time-mark.

Notes.

- No. 11. Febr. 23. 8^h. Chile; $\Delta = \text{ca. } 85^\circ$. P, condensation, very large on Z. $i_Z 21^m 56^s$. $i(\overline{S_c P_c S})_E 31^m 58^s$, large, $e_N 32^m 6^s$. $PS_N 32^m 58^s$.
- No. 13. March 2. 17^h. Pacific Ocean East of Japan. Very strong record. The beginning of P small, on Z only; possibly 1 sec. earlier than read. $i_{N,Z} 43^m 3^s$, followed by increasing, very large oscillations. PP $46^m 14^s$. $e_{E,Z} 47^m.8$; $e_N 48^m.4$. $S_N 53^m 6^s$, large; on E gradually increasing, very large oscillations. $PS_Z 53^m.9$. $e_N 54^m 20^s$ (in time-mark), very large. $SS_N 58^m.2$. Large waves of long period in first part of L; very large M.
- No. 27. April 27. 2^h. Alaska. $iP 44^m 18^s$, condensation; followed by a group of rather large oscillations. $e_{N,Z} 45^m.5$. PP $46^m 14^s$, increase of movement $46^m 24^s$. $S_{N,E} 51^m 0^s$, large. $PS_Z 51^m 12^s$. $e_{N,E} (S_c S) 53^m.7$. $SS_E 54^m.4$.
- No. 39. June 10. 12^h. Iceland; $\Delta = \text{ca. } 12^\circ$. L rather large, forerunners hardly discernible.
- No. 51. June 24. 22^h. South Sumatra; $\Delta = \text{ca. } 120^\circ$. PP small, shortly after 15^m. Increasing movement in foreunners, but phases not clearly marked. First L waves large, the period about 1 min.
- No. 92. Aug. 28. 22^h. South Sandwich Islands; $\Delta = \text{ca. } 125^\circ$. $i P'_Z 38^m 39^s$, quite small; $i_Z 38^m 51^s$. $e PP 40^m 7^s$. $e 47^m 11^s$. $PS 50^m.1$. $SS 56^m 42^s$. 70^m a very large wave of long period. Later L regular, not very large.
- No. 96. Sept. 6. 22^h. Fiji Islands region; $\Delta = \text{ca. } 130^\circ$. Deep focus. $i P'_Z 26^m 29^s$, dilatation; $i_Z 26^m 34^s$. $PP_Z 28^m 42^s$. $e_{N,E} 29^m 54^s$.
- No. 105. Oct. 2. 15^h. Ecuador. iP , condensation. PP $42^m 55^s$. $e S_N 49^m 15^s$, $e S_E 49^m 20^s$, large. $S_c S 50^m 22^s$, large and clearly marked. L not very large, about 56^m .

No. 4

I V I G T U T.

1933.

Notes.

No. 110. Oct. 25. 23^h. Argentina. Deep focus. P not large, but clearly marked. $e_{S_E} 50^m45^s$, $i_{S_N} 50^m47^s$, large. $e_E 52^m20^s$, large; $e_N 52^m8$. SS 56^m29^s . L small.

No. 113. Nov. 20. 23^h. Baffin Bay. i_P , dilatation; strong increase of movement $i 25^m8^s$; continued strong oscillatory movement. $e_E 27^m24^s$, movement of long period, S or L? $e_{N,E} 27^m48^s$. $i_E 28^m5^s$, large oscillations. M very large.

No. 123. Dec. 15. 7^h. South of Greenland. Forerunners small, disturbed by microseisms. L rather large, immediately after S.

No.	Date	Hour	P		S		L		Notes	
			m	s	m	s	m	s		
1	1933	Jan.								
2	4	2							Strong microseisms.	
3	7	4							No records 5 ^h 15 ^m - 10 ^h 15 ^m .	
4	10	5							Indian Ocean.	
5	21	19			42	15				
6	23	18			36					
7	27	23			7					
8	Feb.									
9	3	22	125	6	32	42			71 Pacific Islands.	
10	13	3								
11	19	9							Chile.	
12	27	17			21	41	31	58	India.	
13	March									
14	2 ^x	17	43	0	53	6	46	14	54 26 ^x	So Pacific Ocean Japan.
15	2	20							Small preceding movement.	
16	3	9								
17	11	2			3.2		14.7		P uncertain, California.	
18	17	16	1	5	46	14	6		61 Kazakhstan.	
19	17	19							Small preceding movement.	
20	18	4								
21	26	18								
22	April									
23	9	3							Small preceding movement.	
24	9	4	6	8	16	14			79 Off west coast of Africa.	